

# **Heated Base Glass Built-In Shelves**

Models: HBGB-2418, -3018, -3618, -4818, -6018, -7218

Hatco Heated Base Glass Built-In Shelves have a heated ceramic glass top that creates uniform heat across the entire surface and are made of approved foodsafe material. Ideal for use on pass-through areas, buffet lines, and as hors d'oeuvre displays.

## Standard features

- Made of approved foodsafe material allowing placement of food product directly on the glass surface
- Thermostatically-controlled ceramic glass surface heated base
- Lighted On/Off rocker switch
- All units are equipped with an attractive trim mounting ring available in stainless steel (standard) Designer Black or White
- Recommended for use in metallic counters for other surfaces, verify that the material is suitable for temperatures up to 200°F (93°C)◆
- Units include control box with 3' (915 mm) conduit and 6' (1829 mm) cord and plug
- ♦ Hatco is not responsible for counter damage caused by heat from the warmer

**Note for Heated Base Glass Shelves with** overhead Strip Heaters: For any size HBGB, the next larger size GRA or GR2A Strip Heater will fit over the top. For example, a HBGB-3018 will require a GRA-36 or GR2A-36. The GRA will have a tight fit to the frame of the base. The GR2A will have approximately a 4" (102 mm) space.

	/IFS anti-microbial coatings use naturally-occurring, environmentally sustainable, silver ions to help inhibit the growth of microbes on the powder coated surface. See www.hatcocorp.com/antimicrobial-paint for more information.
--	---



Project			
Item #			
Quantity —			





**Options** (available at time of purchase only)

Ceramic Glass Color - Black Standard □White

Designer Color for Flush Mount Control Bezel Box - Stainless Steel Standard - Non-standard colors are non-returnable □White □ Designer Black

Control Boxes - with Lighted Power Rocker Switch, cord and plug ☐ Flush Mount ITC Control Box with lighted On/Off rocker switch and angled recessed controls - 6.813"W x 7.8135"H x 4.813"D (162 x 198 x 134 mm)

☐ Flush Mount Recessed Thermostatic Control Box with lighted On/Off rocker switch and angled recessed controls in stainless steel 6.813"W x 7.8135"H x 4.813"D (162 x 198 x 134 mm)

Conduit in lieu of standard 3' (914 mm) (Flush Mount ITC Control Box only) □6' (1829 mm) conduit □ 10' (3048 mm) conduit

☐ Built-In Heated Base Glass Shelf with a recessed top













## **Heated Base Glass Built-In Shelves**

Models: HBGB-2418, -3018, -3618, -4818, -6018, -7218

# **HBGB TOP VIEW** 18 (457 mm) 19.625" (498 mm) **OPTIONAL CONTROL BOXES**





## **SPECIFICATIONS Heated Base Glass Built-In Rectangular Shelves**

#### The shaded areas contain electrical information for International models

Model ^	<b>Dimensions</b> (Width x Depth x Height)	Voltage	Watts	Amps	Plug	Ship Weight*	
		100	425	4.3	NEMA 5-15P		
	05.005# 40.005# 0.0#	120	425	3.5	NEMA 5-15P	32 lbs. (15 kg)	
HBGB-2418	25.625" x 19.625" x 2.2"	220 <sup>z</sup>	420	1.9	BS-1363		
	(651 x 498 x 55 mm)	220-230 (CE)	420-459	1.9-2.0	CEE 7/7 Schuko, CCC		
		230-240 (CE)	459-500	2.0-2.1	BS-1363 or AS 3112		
		100	525	5.3	NEMA 5-15P		
	31.625" x 19.625" x 2.2"	120	525	4.4	NEMA 5-15P	27 lbo	
HBGB-3018		220 <sup>z</sup>	525	2.4	BS-1363	37 lbs.	
	(803 x 498 x 55 mm)	220-230 (CE)	525-574	2.4-2.5	CEE 7/7 Schuko, CCC	(17 kg)	
		230-240 (CE)	574-625	2.5-2.6	BS-1363 or AS 3112	1	
		100	630	6.3	NEMA 5-15P		
	37.625" x 19.625" x 2.2"	120	630	5.3	NEMA 5-15P	40 lbs.	
HBGB-3618	(955 x 498 x 55 mm)	220 <sup>z</sup>	630	2.9	BS-1363	40 lbs. (19 kg)	
		220-230 (CE)	630-689	2.9-3.0	CEE 7/7 Schuko, CCC		
		230-240 (CE)	689-750	3.0-3.1	BS-1363 or AS 3112■		
		100	850	8.5	NEMA 5-15P		
	49.625" x 19.625" x 2.2"	120	850	7.1	NEMA 5-15P	EO lbo	
HBGB-4818 <sup>≈</sup>		220 <sup>z</sup>	840	3.8	BS-1363	50 lbs.	
11545 1010	(1260 x 498 x 55 mm)	220-230 (CE)	840-918	3.8-4.0	CEE 7/7 Schuko, CCC	(23 kg)	
		230-240 (CE)	918-1000	4.0-4.2	BS-1363 or AS 3112		
		100	1050	10.5	NEMA 5-15P		
	61.625" x 19.625" x 2.2"	120	1050	8.8	NEMA 5-15P	63 lbs.	
HBGB-6018 <sup>≈</sup>	(1565 x 498 x 55 mm)	220 <sup>z</sup>	1050	4.8	BS-1363	(29 kg)	
11545 0010		220-230 (CE)	1050-1148	4.8-5.0	CEE 7/7 Schuko, CCC		
		230-240 (CE)	1148-1250	5.0-5.2	BS-1363 or AS 3112■		
		100	1260	12.6	NEMA 5-15P		
	73.625" x 19.625" x 2.2"	120	1260	10.5	NEMA 5-15P	74 lbs.	
HBGB-7218 <sup>≈</sup>	(1870 x 498 x 55 mm)	220 <sup>z</sup>	1260	5.7	BS-1363	(34 kg)	
		220-230 (CE)	1260-1378	5.7-6.0	CEE 7/7 Schuko, CCC		
		230-240 (CE)	1378-1500	6.0-6.3	BS-1363 or AS 3112	]	

<sup>^</sup> Recommended for use in a metallic countertop. For other surfaces, verify material is suitable for temperatures up to 200°F (93°C).

HATCO CORPORATION P.O. Box 340500 Milwaukee, WI 53234-0500 U.S.A. (800) 558-0607 (414) 671-6350



Shipping weight includes packaging.

z 60 Hz

<sup>■</sup> AS3112 plug is for use in Australia only.
≈Units 48" (1219 mm) and larger are constructed of two equal size pieces of glass which create a seam.



## **Heated Base Glass Built-In Shelves**

Models: HBGB-2418, -3018, -3618, -4818, -6018, -7218

#### **CORD LOCATION**


Cord is attached to Control Box

### **PLUG CONFIGURATIONS**

Please refer to electrical specifications shown in charts














#### **Countertop Cutout Dimensions**

Model	Min. Width	Max. Width	Min. Depth	Max. Depth
HBGB-2418	24.625"	24.875"	18.625"	18.875"
	(625 mm)	(632 mm)	(473 mm)	(480 mm)
HBGB-3018	30.625"	30.875"	18.625"	18.875"
	(778 mm)	(784 mm)	(473 mm)	(480 mm)
HBGB-3618	36.625"	36.875"	18.625"	18.875"
	(930 mm)	(937 mm)	(473 mm)	(480 mm)
HBGB-4818	48.625"	48.875"	18.625"	18.875"
	(1235 mm)	(1241 mm)	(473 mm)	(480 mm)
HBGB-6018	60.625"	60.875"	18.625"	18.875"
	(1540 mm)	(1546 mm)	(473 mm)	(480 mm)
HBGB-7218	72.625"	72.875"	18.625"	18.875"
	(1845 mm)	(1851 mm)	(473 mm)	(480 mm)

## **PRODUCT SPECS**

#### **Heated Base Glass Built-In Shelves**

The Heated Base Glass Built-In Shelf shall be a Hatco Model ... as manufactured by the Hatco Corporation, Milwaukee, WI 53234 U.S.A.

The Heated Base Glass Built-In Shelf shall be rated at ... watts, volts, and ... inches (millimeters) in overall width.

It shall consist of food-safe, Black Ceramic Glass material, thermostatically-controlled heated base and a remote box with 36" (914 mm) conduit, cord and plug.

Options shall include: White Ceramic Glass, Designer Color for Flush Mount Control Bezel (Stainless Steel standard), Flush Mount (ITC or Thermostatic) Control Box, a 120" (3050 mm) conduit used with ITC Control Boxes only and optional recessed top. All Designer colors are anti-microbial.

Warranty consists of 24/7 parts and service assistance (U.S. and Canada only).

HATCO CORPORATION | P.O. Box 340500 Milwaukee, WI 53234-0500 U.S.A. | (800) 558-0607 | (414) 671-6350

www.hatcocorp.com | support@hatcocorp.com | Find a Hatco Rep | Image Library | Document Library | Chat