

Food Service

DATA SHEET **XC 100**

More information High performance with a wide range of solutions and options.

Access to the future. The latest computer technology in a compact design teamed with an 'all-purpose' printer. The XC represents affordable access to high-performance PC-based price computing scales with touchscreen operation. Both independent and multi-unit Food Service operators find the scale comfortable, intuitive and easy to work.

Product Description

The Bizerba XC 100 counter scale combines all essential retail activities: weighing, transaction handling, printing and providing advice as well as displaying promotional messages and cross selling.

The open PC platform offers sufficient capacity to cope with new features or customer-specific requirements in the future. Even the use of 3rd-party software presents no problems. The 'all-purpose' printer is unique to the market and can perform every conceivable printing task that can be required of a weighing device. Furthermore, replacing the paper roll is a very brief and intuitive process, and daily cleaning of the scale can be carried out quickly and easily. This is supported by each scale's compact design, the easy clean surface of the housing and the newly developed, frameless easy clean display.



XC 100 - Price Computing Scale

Highlights

- Easy clean for guick and easy cleaning of the scale
 - surface: problem free removal of stray labels
 - displays: frameless for maximum cleaning efficiency
 - load plate: optimum ease of handling
- Easy load enables paper rolls to be changed in a matter of seconds
 - 'all-purpose' printer with ticket and linerless operation up to 80 mm paper roll widths
 - Additional label layout possible on pre-printed linerless paper
- Label printer*
 - 'Paper near end' function*
 (alert when almost out of paper for unattended scales in self-service use)
- Easy level tilt compensation*
 - Accurate weighing results even when the scale is not leveled, no loss of revenue
- High-end PC-based scale with outstanding Intel® Dual Core processor for optimum performance and perfect graphics with minimum power consumption
- High-end software package .Retail Framework
 - .RetailPowerScale scale software
 - .RetailApps for additional functionality*
 - .RetailIntegratorsKit (RIK) for 3rd-party software*

Plus many more software options for additional solutions.



Easy load printer



Easy clean load plate

* Options

- Easy level tilt compensation
- Various weighing ranges
- Cash drawer
- 'Paper near end' function (alert when almost out of paper)
- WLAN

Bizerba USA Inc.

1804 Fashion Court
Joppa, MD 21085
USA
Tel. Office +1 732 565-6000
Tel. Service +1 732 565-6001 Fax
+1 732 819-0429
us.info@bizerba.com





intuitive and easy to work with.

DATA SHEET XC 100

Access to the future. The latest computer technology in a compact design teamed with an 'all-purpose' printer. The XC represents affordable access to high-performance PC-based scales with touchscreen operation. Comfortable,

More information

High performance with a wide range of solutions and options.

Specifications	Facts	Details
Color	Anthracite grey	RAL 7016
Operator display	10.1" Touch TFT	Resolution: 1024 x 600 (WSVGA)
		LED backlight
		5-wire resistive touch technology
		Angle stepless adjustable
Customer display	7" TFT	Resolution: 800 x 480 Pixel
		LED backlight
Operating system	POSReady	Windows
	BizLPOS	Linux
Scale software	.RetailPowerScale	Bizerba scale software
		compatible with .Retail Framework products
	RIK (.Retail Integrators Kit)	3rd-party software (OEM)
Processor	Intel® Atom™ Processor N2800	1.86 GHz frequency
	Dual Core	L2-Cache: 1MB
		Instruction set: 64-bit
		Mini-ITX form factor
		Integrated graphics card (clock speed 640 MHz)
RAM	DDR3	2 GB RAM
Mass storage	SSD	32 GB
Printer	3-in-1	optional 2" or 3"
	(Label, ticket or linerless)	Paper width up to 3" (80 mm)
		Clamshell model (for easy change of paper rolls)
		Print speed up to 100 mm/s
Interfaces	2 x USB 3.0	Superspeed
	2 x USB 2.0	Highspeed
	1 x COM	DSUB
	RS 232	RS 232
	RJ-45	RJ-45, GBit LAN
	Audio port	3,5 mm jack
Weighing ranges	Max 0 - 15 / 15 - 30 lb	d = e = 0.005 / 0.01 lb
	Min 0.10 lb	Tare max load = - 15 lb
Temperature range	14 °F to 104 °F (-10 °C to +40 °C)	
Power consumption	with 120 V max. 350 mA	
		,

HF_XC 100_V7_DE Subject to technical modifications

Options	Facts	Details
Software add-ons	 RetailApps - cash register, scanning, e-cash, inventory, delivery note, proof of country of origin, time registration, video journal, .RetailConnect 	- Extra software functions via .Retail Apps - Extra software functions via modules
Easy Level	Tilt compensation	Automatic adjustment of incorrect weighing even when the scale is not leveled
WLAN modules	BWLC USB	Bizerba Wireless LAN Client 802.11 a/b/g max. 54 MBit/s USB WLAN Stick (Not possible in system networks) 802.11 a/b/g/n max. 300 MBit/s
Licenses for softwar modules	e proof of country of origin, cash register, scanning, e-cash, staff time recording, inventory/re-weighing/returns, delivery note returns/cash invoice/purchase order	,
Connection of cash drawer	Cash draw connection (COM)	RJ 12

XC 100



Symbols










Intel Logo

Core 2 Duo Chipn

Windows Logo

HF_XC 100_V7_DE Subject to technical modifications

Dimensions Agency



Warranty

The Food Service XC 100 Price Computing Scale Printer carries a three (3) year, on-site parts and labor warranty against any flaws in materials and workmanship. This period begins with the date of purchase and, provided the unit is used properly in accordance with our instructions, is in full effect for one year from that date. Any work to be performed under this warranty must be performed between the hours of 8:00 a.m. and 4:30 p.m. local time, Monday to Friday. Bizerba will not pay over-time charges for work performed other than during normal business hours. Accessories have a 30-day replacement or repair warranty for the period beginning on the date of purchase. Damages incurred in transit or from installation error, accident, alteration or misuse are not covered. Transit damages should be reported to the carrier immediately. Bizerba shall not be liable for any consequential, compensatory, incidental, or special damages. All warranty work must be performed by a factory authorized Bizerba Representative.

Members of the Bizerba Group Bizerba GmbH & Co. KG

Wilhelm-Kraut-Straße 65 72336 Balingen Deutschland Tel. +49 7433 12-0 Fax +49 7433 12-2696 marketing@bizerba.com www.bizerba.com

Bizerba USA Inc.

1804 Fashion Court
Joppa, MD 21085
USA
Tel. Office +1 732 565-6000
Tel. Service +1 732 565-6001 Fax
+1 732 819-0429
us.info@bizerba.com
www.bizerba.com

